

Series 4, Built-in oven, 60 x 60 cm, Stainless steel HBA534BS3A









HEZ317000 Pizza pan, enamelled, HEZ327000 Pizza stone, HEZ333001 Lid for professional pan, HEZ530000 Half tray, HEZ531000 Baking tray, enamelled, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532000 Multipurpose pan, enamelled, HEZ532010 Universal pan, non-stick ceramic coated, HEZ533000 Professional pan, enamelled, HEZ538000 1fold telescopic rail, level independent, HEZ625071 Grill tray, anthracite, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan with grid, enamelled, HEZ634000 Baking and roasting grid, HEZ636000 Glass pan, HEZ638000 Full ext rails, level independent, HEZ660050 Cover Strip, HEZ915003 Glass roasting dish, 5,4 L

Perfect results: 3D hotair for perfect baking and roasting results on up to three levels simultaneously.

- Red LED display control: easy-to-use thanks to the time functions.
- 3D Hotair: even heat distribution for perfect results on up to three levels.
- **Pop-out controls**: Make the front of the oven easy to clean and give it a sleek look.
- EcoClean Direct: almost no cleaning is necessary thanks to a special coating of the rear wall that automatically absorbs grime.
- Cleaning Assistance: less cleaning effort thanks to the new cleaning option, which can be especially used for cleaning of light soiling.

Color / Material Front:	Built-in Drop down
Hydrolytic	
Control Panel Material:	
Door Material:	
Dimensions (HxWxD):	
Dimensions of the packed product (HxWxD):	675 x 660 x 690 mm
Required niche size for installation (HxWxD):	585-595 x 560-568 x
550 mm	
Cavity dimensions:	
Usable volume of cavity:	71 l
Number of interior lights:	1
Net weight:	32.4 kg
Gross weight:	34.5 kg
EAN code:	4242005464487
Connection rating:	3400 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	





Series 4, Built-in oven, 60 x 60 cm, Stainless steel HBA534BS3A

Perfect results: 3D hotair for perfect baking and roasting results on up to three levels simultaneously.

Heating Functions

- Oven with 7heating methods:
- Full width grill, Hotair gentle, 3D Hotair, Top/bottom heating, Pizza setting, Bottom heating, Hot air grilling
- Temperature range 50 °C 275 °C
- Cavity volume: 71 net usable litres

Racks and Rails

- Number of shelf levels: 5
- Telescopic rails available as optional accessory

Design

- Rotary control knobs, Retractable control knobs
- Cavity inner surface: enamel
- Extra large capacity oven

Cleaning

- EcoClean Direct: coating of back panel
- Cleaning Assistance (manually)
- Full glass inner door

Convenience

- LED-display control (red)
- Electronic clock/timer with end time programming
- Automatic start, Actual temperature display
- Bar handle
- Fast heat
- Halogen lighting
- Integrated cooling fan

Accessories

- 2 x combination grid, 1 x universal pan

Safety Features

- Maximum door temperature 40° C
- Triple glazed door
- Child lock

Technical Information

- Length of mains cable: 120 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 3.4 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.94 kWh
- Energy consumption per cycle in fan-forced convection mode:0.69 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:71 net usable litres


Dimensions


- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm

- Installation dimensions (HxWxD): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing




Series 4, Built-in oven, 60 x 60 cm, Stainless steel HBA534BS3A






measurements in mm


Measurements in mm



A: 19.5 mm

B: Space for appliance connection 320 x 115 mm





measurements in mm