

**Series 8, Built-in oven, 60 x 60 cm,
Black
HBG7741B1A**



HEZ638070	Full ext rails, level independent, pyro
HEZ327000	Pizza stone
HEZ32WA00	Wireless food thermometer
HEZ531010	Baking tray, non-stick ceramic coated
HEZ532010	Universal pan, non-stick ceramic coated
HEZ629070	Air Fry & Grill tray
HEZ631070	Baking tray, enamelled
HEZ633001	Lid for professional pan, enamelled
HEZ633073	Professional pan, enamelled
HEZ634000	Baking and roasting grid

The built-in oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals, Air Fry, Home Connect for control via the App.

- **Pyrolytic self-cleaning:** less cleaning effort thanks to automatic self-cleaning.
- **3D Hotair:** even heat distribution for perfect results on up to three levels.
- **TFT touch display:** easy control thanks to an innovative Digital Control Ring and TFT touchscreen.
- **Air Fry function with tray:** enjoy fast, crispy results for chips, vegetables, and other favourites.
- **Cooking Assistant:** easily set the right programme via the Home Connect app.

Color / Material Front: Black
 Built-in / Free-standing: Built-in
 Door opening: Drop down
 Cleaning : Pyrolytic+Hydrolytic
 Control Panel Material: Glass
 Door Material: Glass
 Dimensions (HxWxD): 595x594x548 mm
 Dimensions of the packed product (HxWxD): 670x670x680 mm
 Required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm
 Cavity dimensions: 357 x 480 x 415 mm
 Usable volume of cavity: 71 l
 Net weight: 37.7 kg
 Gross weight: 40.3 kg
 EAN code: 4242005326570
 Connection rating: 3600 W
 Fuse protection: 16 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 120 cm



4 242005 326570



BOSCH

Series 8, Built-in oven, 60 x 60 cm, Black HBG7741B1A

The built-in oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals, Air Fry, Home Connect for control via the App.

Heating Functions

- Oven with 14 cooking functions: 3D Hotair, Top/bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heating, Slow cooking, Defrost, Preheat ovenware, Keep warm, Hotair gentle, Conventional heat gentle, AirFry
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 net usable litres

Racks and Rails

- Number of shelf levels: 5
- Telescopic rails available as optional accessory, pyrolytic proof

Design

- Cavity inner surface: enamel
- Touch control
- Digital Control Ring

Cleaning

- Pyrolytic self-cleaning function
- Cleaning Assistance (HydroClean program)

Convenience

- TFT-touchdisplay
- Automatic temperature proposal, Residual heat indicator, Actual temperature display
- Air Fry Function
- Bosch Assist - a menu of dishes for automatic cooking
- HomeConnect
- Cooking Assistant
- Automatic rapid heat function
- Drop down door
- Oven door with SoftOpen and SoftClose door
- Integrated cooling fan
- Halogen lighting
- Electronic clock/timer with end time programming

Accessories

- 1 x air fry & grill tray, 2 x combination grid, 1 x universal pan

Safety Features

- Electronic door lock, Child lock, Automatic safety switch off function, Residual heat indicator, Start button, Door contact switch
- Quadruple glazed CoolTouch door
- Maximum door temperature 30° C
- Low door temperature during pyrolytic cleaning
- Full glass inner door

Technical Information

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V

- Total connected load electric: 3.6 KW

Dimensions



- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing



BOSCH


**Series 8, Built-in oven, 60 x 60 cm,
Black
HBG7741B1A**

Installing two appliances on top of each other
Air exchange



A: Air inlet $\geq 200 \text{ cm}^2$

measurements in mm



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
Induction hob	fitted 37 mm	flush 38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

