

# Series 8, Electric Cooktop, 80 cm, surface mount with frame PKM875DP1A









Griddle Plate HEZ390522 HEZ392800 Intermediate bottom Connecting strip HEZ394301 Iron pan Ø 18 / 28 cm HEZ9FE280 HEZ9SE030 Set of 2 pots and 1 pan HEZ32WA00 Wireless food thermometer HEZ390011 Stainless Steel roaster with glas lid HEZ390090 Wok Set consisting of 3 Items HEZ390512 Teppan Yaki (large)

# The glass-ceramic radiant cooktop: makes cooking and cleaning especially easy.

- Comfort profile design: elegant, modern look with a bevelled front and metal strips on the sides.
- **DirectSelect Premium**: direct and simple selection of cooking zones, power levels and additional functions.
- 17 power levels: offer precise and flexible heat control for every cooking need.
- **PowerBoost function**: delivers extra power for faster heating on your electric cooktop.
- Combi Zone: combines two cooking zones into one large zone for flexible use with bigger cookware such as roasters.

Product name/family:
Built-in / Free-standing:
Energy input:Electric
Total number of positions that can be used at the same time: $\boldsymbol{5}$
Required niche size for installation (HxWxD): 44 x 780-780 x 500-500
mm
Width of the appliance:816 mm
Dimensions (HxWxD):
Dimensions of the packed product (HxWxD): 103x1026x620 mm
Net weight:9.0 kg
Gross weight:
Residual heat indicator:separate
Location of control panel: Front
Basic surface material:Ceramic glass
Color of surface:Black, Alu, brushed
EAN code:
Voltage:
Frequency: 50; 60 Hz





# Series 8, Electric Cooktop, 80 cm, surface mount with frame PKM875DP1A

# The glass-ceramic radiant cooktop: makes cooking and cleaning especially easy.

- 80 cm cooktop: space for 5 pots or pans

#### Flexibility of cooking zones

- CombiZone: use bigger cookware by connecting two classic cooking zones into one large zone.
- Ring zone double: use regular or larger cookware on the expandable cooking zone.
- Cooking zone front left: 145 mm, 210 mm, 2.1 KW (max. power 3 KW)
- Cooking zone rear left: 145 mm, 1.2 KW
- Cooking zone middle: 230 mm, 180 mm, 2.4 KW (max. power 3.4 KW)
- Cooking zone rear right: 145 mm, 1.2 KW
- Cooking zone front right: 370 mm, 270 mm, 180 mm, 120 mm, 2 KW (max. power 2.3 KW)

#### Comfort & Convenience

- Direct Select Premium Touch Control: directly control the power on the extra large illuminated touch bar (invisible when switched off).
- 17 power levels for each cooking zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Keep warm function low setting for keeping food warm at the touch of a button: keep dishes warm at preset low power level.
- Timer with automatic switch off for all zones: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).
- Count-up timer: shows how much time has passed since starting the timer (e.g. for potatoes).

## Time saving & efficiency

- PowerBoost function in the front right zone, Front left, Rear center: boil water more quickly thanks to 20% more energy than at the highest standard level.
- ReStart Quickly reinstates previous settings: in case of unintentional switch-off, restore all previous settings by switching on the cooktop again within 4 seconds.

### Design

- Stainless steel side profiles with beveled front

### Safety

- Digital 2-stage residual heat indicator: indicates which cooking zones are still hot or warm.
- Childproof lock: prevent unintended activation of the cooktop.
- WipeProtection: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main switch: switch off all cooking zones at the touch of a button.
- Power on indicator: indicates if the cooktop is heating.
- Automatic safety switch-off: for safety reasons, heating stops after a preset time without interaction.

## Installation

- Dimensions of the product (HxWxD mm): 44 x 816 x 527
- Required niche size for installation (HxWxD mm): 44 x 780 x (500 -

500)


- Min. worktop thickness: 16 mm

- Connected load: 11 KW



# Series 8, Electric Cooktop, 80 cm, surface mount with frame PKM875DP1A

measurements in mm



- A: Minimum distance from the hob cut-out to the wall. **B**: Recessed depth
- C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.