QUICK REFERENCE GUIDE > DW60U4I2 Date: 28.02.2025 > 1

Series 7, Integrated Dishwasher

Series 7 | Integrated

Panel Ready



Designed to integrate seamlessly into your cabinetry, this tall dishwasher delivers superior wash performance and advanced drying.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Eight wash programs from Heavy to Light, including Auto and 60min
- Dry+, Sanitise, Half Load and Intensive modifiers provide extra wash options


 Wi-Fi enabled and works with the SmartHQ™ app for remote control and notifications

DIMENSIONS

 Height
 820 - 880 mm

 Width
 598 mm

 Depth
 554 mm



FEATURES & BENEFITS

Seamless Integration

Customise your dishwasher with a panel and handle matching your cabinetry, for a seamless finish in your kitchen.

Advanced Drying

For beautifully dry dishes every time, this dishwasher features an advanced drying system. It combines fan-assisted drying with an automatic door opening at the cycle's end. The Auto Door Open Dry feature releases excess steam, ensuring dishes are immediately ready for use or storage. An innovative air curtain channels the steam away from the adjacent benchtop, protecting your cabinetry.

A Reliable Clean

This dishwasher offers eight wash programs including Glassware and Auto, which automatically senses the optimal wash settings for your dishes. The three-stage filtration system delivers a superior clean, while the rinse aid indicator reminds you to top up for beautifully clean dishes.

Customise Your Wash

The Half Load modifier is perfect for washing a partial load, for faster turnaround of dishes. Sanitise provides extra protection, killing 99.9% of bacteria* in the final rinse, while the Dry+ modifier is great for plastic dishes. *Certified to NSF/ANSI Standard 184

Quiet Performer

Running at a very low decibel rating, this dishwasher does its job without making a fuss. The combination of clever technology and simple mechanics means greater reliability and superior wash performance, with minimal noise.

Efficient Performance

With a 4.5 star energy rating and 5.5 star water rating, this dishwasher delivers a powerful wash. Use the Eco wash program for optimal water and energy consumption, or choose when the cycle begins with Delay Start.

Flexible Loading

Designed to fit 15 place settings with ease. Adjustable rack options provide flexibility for any load, with a full-width cutlery tray, height-adjustable middle rack, cup holders and wine glass supports.

QUICK REFERENCE GUIDE > DW60U4I2 Date: 28.02.2025 > 2

SPECIFICATIONS

Accessories (included) Cutlery basket Kickstrip true

Accessories (sold separately)

Door panel black stainless steel ADDW60PB Door panel stainless steel ADDW60PX Handle kit Classic AHCL-DDDW-24X Handle kit Contemporary round, aluminium AHS-OBDD-60S Handle kit Contemporary square fine, AHD5-OBDD-60SX aluminium Handle kit Contemporary square fine, black AHD5-OBDD-60SB Handle kit Contemporary square, aluminium AHD3-OBDD-60S Handle kit Contemporary square, black AHD3-OBDD-60B Handle kit Professional round flush AHP3-DWDD-60S

Capacity and loading

Accommodates round plates up to (lower basket) Accommodates round plates up to (top 200mm (with basket) cutlery tray), 250mm (cutlery tray removed) Adjustable height, foldable cupracks Easy lift adjustable upper basket Fold down tines Fold down wine racks Full width cutlery/utensil tray

Large crockery insert in lower basket	•
Place settings	15
Place settings	15
Wine glass supports	•

Consumption

Energy rating 4.5 star 206kWh/year Energy usage In-use energy carbon emissions estimate 134.2kgCO2e/year Water consumption (per wash cycle) 11.1L Water rating 5.5 star (WELS)

Controls

Energy saving delay start option of up to 12 hours Floor light cycle feedback Internal light Internal wash selector Keylock Rinse aid indicator light Smart appliance

Features

320mm

Air curtain for bench protection Aquastop Auto Door Open Dry Fan assisted drying Flood protection Fully independent spray arms

Half load option	•
Internal tub material	Stainless Steel
Motor type	BLDC
Three-stage filtration system	•
Variable wash pressure technology	•

Performance

42 dBA Noise emissions

Power requirements

10 A Amperage 50Hz Supply frequency 220 - 240V Supply voltage

Product dimensions

Depth 554 mm Height 820 - 880 mm Width 598 mm

Warranty

Parts and labour 2 years

Wash Program Modifiers


Dry + Half load Intensive QUICK REFERENCE GUIDE > DW60U4I2

Wash Programs 60 min Auto Eco Glassware Heavy Light Medium Rinse Wash programs Water connection Water supply 3/4" BSP (20mm) Connector Water	Sanitise	•
60 min Auto Eco Glassware Heavy Light Medium Rinse Wash programs Water connection Water supply 3/4" BSP (20mm) Connector Water	Wash modifiers	4
60 min Auto Eco Glassware Heavy Light Medium Rinse Wash programs Water connection Water supply 3/4" BSP (20mm) Connector Water		
60 min Auto Eco Glassware Heavy Light Medium Rinse Wash programs Water connection Water supply 3/4" BSP (20mm) Connector Water		
Auto Eco Glassware Heavy Light Medium Rinse Wash programs Water connection Water supply 3/4" BSP (20mm) Connector Water	Wash Programs	
Eco Glassware Heavy Light Medium Rinse Wash programs Water connection Water pressure Water supply 3/4" BSP (20mm) Connector Water	60 min	•
Glassware Heavy Light Medium Rinse Wash programs Water connection Water pressure Water supply 3/4" BSP (20mm) Connector Water	Auto	•
Heavy Light Medium Rinse Wash programs Water connection Water pressure Water supply 3/4" BSP (20mm) Connector Water	Eco	•
Light Medium Rinse Wash programs Water connection Water pressure Water supply 3/4" BSP (20mm) Connector Water	Glassware	•
Medium Rinse Wash programs Water connection Water pressure Water supply 3/4" BSP (20mm) Connector Water	Heavy	•
Rinse Wash programs Water connection Water pressure Water supply 3/4" BSP (20mm) Connector Water	Light	•
Water connection Water pressure Water supply 30kPa - 1000 kPa 37/4" BSP (20mm) Connector Water	Medium	•
Water connection Water pressure 30kPa - 1000 kPa Water supply 3/4" BSP (20mm) Connector Water	Rinse	•
Water pressure Water supply 30kPa - 1000 kPa 3/4" BSP (20mm) Connector Water	Wash programs	8
Water pressure Water supply 30kPa - 1000 kPa 3/4" BSP (20mm) Connector Water		
Water pressure Water supply 30kPa - 1000 kPa 3/4" BSP (20mm) Connector Water		
Water supply 3/4" BSP (20mm) Connector Water	Water connection	
Connector Water	Water pressure	30kPa - 1000 kPa
	Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
		_

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

SKU

Other product downloads available at fisherpaykel.com



Where applicable:

82436

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

