



SPECIFICATIONS

MODEL	HUSWS128DMBZY	FEATURES
Dimensions	1600mm (H) x 595mm (W) x 675mm (D)	Matte Black Frame
Nett Capacity	380 litres, 64 Bottles* (Upper), 64 Bottles* (Lower)	Digital Temperature Display
Temperature Range	5 to 12°C (Upper) 12 to 22°C (Lower)	Anti-Vibration Compressor Feet
Cooling Zones	2	Beechwood Shelving
Shelves	8	Locks as Standard
Refrigerant	R600a	LED Internal Light
Humidity Range	50% - 80% (IEC international standards)	3 Year Warranty
Power consumption	0.57 kWh/24hrs	
Input Power	0.7 A	
dB level	46	

Arisit Pty Limited (Australia) 40-44 Mark Anthony Drive, Dandenong South, VIC 3175

Tel: 1300 762 219 Fax: (03) 9768 0838 E-mail: arisit@arisit.com

Arisit Pty Limited (New Zealand) 1A Howe Street, Newton, Auckland 11145

Tel: (09) 306 1020 Fax: (09) 302 0077 E-mail: sales2@arisitonappliances.co.nz


www.huskybrand.com.au

© 2022 Husky. Husky reserve the right to change specifications at any time without notice.

06/2025

380L WINE CABINET

HUSWS128DMBZY



THE KEYS TO PRESERVING THE NATURAL TASTE OF WINE



TEMPERATURE

Although varying temperatures are used for serving, all wines should be stored between 12°C - 14°C. Storing your wine outside of these temperatures can spoil the natural taste.



HUMIDITY

Storing wine at lower than 50% humidity can lead to the cork drying out and shrinking. This can lead to air entering inside of the wine bottle leading to oxidation and odours.



LIGHTING

High amounts of light, particularly damaging UV rays can effect the natural colour and tannins within your wine. This can lead to damaging hydrogen sulphide compounds developing within the wine.



VIBRATIONS

Slight vibrations can accelerate the natural ageing process of wines and lead to a deterioration in flavour and an overall lack of quality.



AIRFLOW

A lack of airflow within a wine cabinet can lead to poor ventilation, stale air and sometimes mould. Active carbon filters help to eliminate odours that can develop within the wine cabinet.

RISERVA
COLLECTION