


DGC 7845 HCX Pro

Handleless compact steam combi oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + HydroClean.




- Large touch display with proximity sensor – M Touch + MotionReact
- Perfect results – DualSteam technology
- Crispy outside, succulent inside – combination cooking
- Miele@home – network-enabled WiFi appliance + Mix & Match
- Easy cleaning – HydroClean and stainless steel oven interior

EAN: 4002516931720 / Material number: 12802270

Construction type and design	
Appliance colour	Pearl Beige
Steam combination oven	•
ArtLine	•
Handleless	•
Convenience features	
Rapid Heat-up	•
Pre-heating	•
External steam generation	•
Oxygen sensor	•
Individual humidity settings in combination cooking	•
Menu cooking without transfer of taste	•
Mix & Match	•
Food probe	Without cable
Automatic programmes with ability to make individual adjustments	•
Keeping warm	•
Crisp function	•
Operating modes	
Fan Plus	•
Conventional Heat	•
Steam cooking	•
Combi mode	•
Combi mode with Fan Plus	•
Combi mode with Conventional Heat	•
Combi mode with Full Grill	•
Sous-vide	•
Intensive Bake	•
Fan Grill	•
Grill	•
Economy Grill	•
Top Heat	•
Bottom Heat	•
Cake Plus	•
Eco Fan Heat	•
Eco steam cooking	•
Defrost	•
Roast with moisture	•
Reheat	•
Heating crockery	•
Automatic programmes	•
Country-specific Automatic programmes	•
Special applications	•
User convenience	
Networking with Miele@home	•
Display	M Touch
MotionReact proximity sensor	•
MotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is detected	•

DGC 7845 HCX Pro

Handleless compact steam combi oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + HydroClean.




EAN: 4002516931720 / Material number: 12802270

MotionReact: audible signal is acknowledged when movement is detected	•
MotionReact: detection of cabinet fronts	•
SoftOpen	•
Touch2Open	•
MultiLingua	•
MyMiele	•
Help function	•
Motorised lift-up control panel with SoftClose	•
Quantity-independent cooking	•
Steam cooking on up to 3 levels at the same time	•
Automatic menu cooking	•
Steam reduction before end of programme	•
Polyphonic buzzers	•
Time of day display	•
Date display	•
Minute minder	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Target temperature display	•
Buzzer when desired temperature is reached	•
Recommended temperature	•
User programmes	•
Individual settings	•
Cleaning convenience	
Stainless-steel oven interior with linen structure	•
Hinged grill element	•
External steam generator	•
HydroClean	•
Soak programme	•
Rinse programme	•
Oven compartment drying programme	•
Quick-release side racks	•
Removable stainless-steel side racks	•
Automatic descaling	•
CleanGlass door	•
Steam technology / Water supply	
DualSteam	•
Steam generator power in kW	3.30
DirectWater plus	•
Drain filter	•

DGC 7845 HCX Pro

Handleless compact steam combi oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + HydroClean.



EAN: 4002516931720 / Material number: 12802270

Safety

Appliance cooling system and touch-cool front	•
Auto switch-off	•
System lock	•
Vapour cooling system	•
Sensor lock	•

Technical data


Oven compartment volume in l	47
No. of shelf levels	3
Numbered shelf levels	•
Oven light	BrilliantLight
Oven mode temperatures min. in °C	30
Oven mode temperatures max. in °C	230
Steam-cooking mode temperatures min. in °C	40
Steam-cooking mode temperatures max. in °C	100
Niche width min. in mm	560
Niche width max. in mm	568
Niche height min. in mm	450
Niche height max. in mm	452
Niche depth min. in mm	550
Appliance width in mm	595
Appliance height in mm	455.5
Appliance depth in mm	568.5
Weight in kg	40.2
Total rated load in kW	3.40
Voltage in V	220-240
Frequency in Hz	50
Fuse rating in A	16
Number of phases	1
Mains cable with plug	•
Length of supply lead in m	2
Length of water inlet hose in m	2.0
Length of water drain hose in m	3.0
Replacing lamps	Customer Service

Accessories supplied

Universal tray with PerfectClean HUBB 71	1
Baking and roasting rack with PerfectClean HBRR 71	1
PerfectClean FlexiClip telescopic runners HFC 71 (pair)	1
Wireless food probe	1
Removable shelf runners (pair)	1
Perforated stainless steel steam oven containers	2
Solid stainless steel steam oven containers	1
HydroClean cleaning agent	1
Descaling tablets	2

DGC 7845 HCX Pro

Handleless compact steam combi oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + HydroClean.




EAN: 4002516931720 / Material number: 12802270

Available display languages


Available display languages via MultiLingua

bahasa malaysia, dansk, deutsch, english, español, français, hrvatski, italiano, magyar, nederlands, norsk, polski, português, русский, română, slovenčina, slovensčina, srpski, suomi, svenska, türkçe, українська, čeština, ελληνικ, 中文, 日本語, 繁體中文, 한국어


DGC 7845 HCX Pro Installation diagrams




Installation, with ESW7020, installation drawings




Installation, with ESW7010, installation drawings




Built-under, installation drawing




Built-in tall cabinet, installation drawing



Motorised lift-up control panel, installation drawings




Securing the oven, installation drawing



Side view, installation drawing,

*22 mm glass



Installation, installation drawing,

- 1) Front view, 2) Mains connection cable, L=2,000 mm,
- 3) Water inlet hose (stainless steel), L=2,000 mm,
- 4) Water drain hose (plastic), L=3,000 mm, The top end of the drain hose where it discharges to the drainage system must not be higher than 500 mm from the hose connection on the appliance., 5) Ventilation cut-out min. 180 cm²,
- 6) No connection in this area