


*N 50, BUILT-IN OVEN WITH ADDED STEAM
FUNCTION, 60 X 60 CM, GRAPHITE-GREY
B5AUM7AG7A*



Z11CR10X0 Baking and roasting grid (standard), Z11GU20X0 Glasspan, Z11TI15X0 Cliprails, Z12CM10A0 Moussaka pan, enamelled, Z12CN10A0 Professional pan, enamelled, Z12CP10A0 Pizza pan, enamelled, Z12CU10A0 Multipurpose pan, enamelled, Z1365WX0 Wireless food thermometer, Z1608BX0 Full ext rails, level independent, Z1650BE0 Half tray, Z1655CA0 Air Fry & Grill tray, Z1913X0 Baking Stone, Z12CB10A0 Baking tray, enamelled, Z12CL10A0 Lid for professional pan, enamelled, Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated

Joyful interaction: Slide & Hide® door that gently disappears for unrestricted access, Added Steam and Pyrolytic Self-Cleaning.

- ✓ Slide&Hide® – The unique fully disappearing oven door.
- ✓ Added Steam - a simple push for the right amount of steam to make your food juicy on the inside and crispy on the outside
- ✓ Home Connect - Control your oven via the App.
- ✓ Singlepoint Meatprobe - keeps one eye constantly on the oven temperature
- ✓ Pyrolytic Self-Cleaning with Easy Clean: The best duo for optimal cleaning.

Color / Material Front: Graphite-Grey
Built-in / Free-standing: Built-in
Door opening: Drop down
Cleaning : Pyrolytic+Hydrolytic
Control Panel Material: Glass
Door Material: Glass
Dimensions (HxWxD): 595x594x548 mm
Dimensions of the packed product (HxWxD): . 675 x 660 x 690 mm
Required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm
Cavity dimensions: 357 x 480 x 415 mm
Usable volume of cavity: 71 l
Number of interior lights: 1
Net weight: 40.4 kg
Gross weight: 43.1 kg
EAN code:4242004281351
Connection Rating: 3600 W
Fuse protection:16 A
Voltage:220-240 V
Frequency: 50; 60 Hz
Length electrical supply cord: 120.0 cm



N 50, BUILT-IN OVEN WITH ADDED STEAM
FUNCTION, 60 X 60 CM, GRAPHITE-GREY
B5AVM7AG7A

Heating Functions

- 11 heating methods: CircoTherm®, Top/bottom heating, Circo-roasting, Full surface grill, Pizza Setting, Bread Baking, CircoTherm® gentle, Reheating
- Heating modes combinable with steam function: CircoTherm® + steam, Circo-roasting + steam, Top/bottom heat + steam
- Heating methods only via Home Connect App: air fry, bottom heating, let rest, preheating
- Temperature range 30 °C - 275 °C
- Cavity volume: 71 net usable litres

Racks and Rails

- Number of shelf levels: 4
- Large capacity oven with shelf supports, Telescopic shelf rails available as optional accessory

Design

- Graphite-Grey Edition
- Rotary Control, Retractable control knobs
- Cavity inner surface: enamel

Cleaning

- Pyrolytic self cleaning
- EasyClean® program
- Full glass inner door - safer touch door

Convenience

- White LCD display
- Electronic clock with start / stop function
- Automatic temperature proposal, automatic start, Actual temperature display, Optical temperature control, Meat probe function
- Number of automatic programmes: 15
- Additional functions: Descaling program
- Hide®, the fully retracting oven door
- Slide®, the revolving handle
- Automatic programs
- Single-point meat probe
- Rapid heat-up
- Halogen lighting
- There are different steam intensities selectable: steam level high, steam level low
- Water tank empty indicator
- Location of the steam generator is outside of the cavity
- Cooling fan
- Stainless-steel fan
- Info button
- HomeConnect

Safety Features

- Maximum door temperature 30° C
- Quadruple glazed CoolTouch door
- Automatic door lock during pyrolysis, Individual adjustable child

lock, Safety switch off, Residual heat indicator, Door contact switch

Accessories

- 1 x combination grid, 1 x universal pan, 1 x enamel baking tray



Technical Information

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW


Dimensions

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing
- We recommend you to choose complementary products within N50, in order to assure an optimal design combination of your Built-In appliances.

N 50, BUILT-IN OVEN WITH ADDED STEAM
FUNCTION, 60 X 60 CM, GRAPHITE-GREY
B5AVM7AG7A




Measurements in mm



A: 19.5 mm

B: Space for appliance connection 320 x 115 mm

Installation with a hob.



Min. distance:
Induction hob: 5 mm
Gas hob: 5 mm
Electric hob: 2 mm