

N 50, BUILT-IN OVEN, 90 X 60 CM,
GRAPHITE-GREY
L2ACH7MG0



90 cm, 112 litre oven - ideal for entertaining and preparing large and delicious meals

- ✓ Hotair - even heat distribution for a good, even bake and yummy dishes
- ✓ LCD-Display - simple, straightforward with large characters for clear reading
- ✓ Control Knobs & 1-Touch Buttons - select the right programme using your intuition
- ✓ Pyrolytic Self-Cleaning with Easy Clean: The best duo for optimal cleaning.
- ✓ Cliprails - Place dishes exactly where you want them in your oven.

Color / Material Front: Graphite-Grey
 Built-in / Free-standing: Built-in
 Door opening: Drop down
 Cleaning : Pyrolytic+Hydrolytic
 Control Panel Material: Glass
 Door Material: Glass
 Dimensions (HxWxD): 594x896x570 mm
 Dimensions of the packed product (HxWxD): 693x968x680 mm
 Required niche size for installation (HxWxD): 600-604 x 860-864 x 560 mm
 Cavity dimensions: 371 x 724 x 417 mm
 Usable volume of cavity: 112 l
 Net weight: 63.7 kg
 Gross weight: 73.4 kg
 EAN code: 4242004275312
 Connection Rating: 4200 W
 Fuse protection: 12 A
 Voltage: 220-240 V
 Frequency: 50-60 Hz
 Length electrical supply cord: 115 cm



N 50, BUILT-IN OVEN, 90 X 60 CM,
GRAPHITE-GREY
L2ACH7MGO

- 90 cm built-in oven with 10 heating methods:
- Hot Air Standard
- Top/bottom heating
- Hotair
- Circo-roasting
- Full surface grill
- Centre area grill
- Pizza Setting
- Bottom heating
- Defrost
- Top/bottom heating gentle
- Temperature range 50 °C - 280 °C
- Cavity volume: 112 l

Racks and Rails

- 1 set of level independent telescopic rails (Clip-on rail)

Design

- Retractable control knobs, ShiftControl
- Cavity inner surface: enamel

Cleaning

- Pyrolytic self cleaning
- EasyClean® program
- Full glass inner door - safer touch door

Convenience

- Electronic Control, White LCD display
- Electronic clock with start / stop function
- Drop down door
- Fast pre-heating function
- Halogen lamps
- Cooling fan
- Bar handle

Accessories

- 1 x enamel baking tray, 2 x combination grid, 1 x universal pan, 1 x rotary spit, 1 x insert grid
- Low door temperature
- Automatic door lock during pyrolysis, Individual adjustable child lock, Safety switch off, Residual heat indicator, Door contact switch
- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 4.2 KW

Dimensions

- Appliance dimensions (HxWxD): 594 mm x 896 mm x 570 mm
- Installation dimensions (HxWxD): 600 mm - 604 mm x 860 mm - 864 mm x 560 mm
- Please reference the built-in dimensions provided in the installation drawing

N 50, BUILT-IN OVEN, 90 X 60 CM,
GRAPHITE-GREY
L2ACH7MGO

