

# KT110PA

|                    |                      |
|--------------------|----------------------|
| Product family     | Hood                 |
| Hood Type          | Decorative wall hood |
| Design             | Chimney              |
| Extraction         | Extraction           |
| Electronic control | Yes                  |
| Material           | Painted material     |
| Type of steel      | Brushed              |
| EAN code           | 8017709217136        |
| Hood width         | 110 cm               |
| Aesthetic          | Victoria             |
| Colour             | Cream                |
| Finishing          | Glossy               |
| Logo               | Applied              |



## Controls

|                 |                    |           |       |
|-----------------|--------------------|-----------|-------|
| Control setting | Electronic buttons | Led color | White |
|-----------------|--------------------|-----------|-------|

## Program / Functions

|                      |                                                                                     |
|----------------------|-------------------------------------------------------------------------------------|
| No. of speeds        | 3                                                                                   |
| Intensive speed      |  |
| Time-setting options |  |

## Technical Features

|                                                                                    |                                                                                     |                                    |           |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------|-----------|
|  |  |                                    |           |
| No. of lights                                                                      | 2                                                                                   | No. of filters                     | 4         |
| Light type                                                                         | LED                                                                                 | Anti-grease filters                | Aluminium |
| Light Power                                                                        | 2 W                                                                                 | Vent outlet                        | 150 mm    |
| Light color temperature scale (K)                                                  | 3000 K                                                                              | Minimum distance from GAS hob      | 750 mm    |
| Free outlet maximum capacity                                                       | 820 m³/h                                                                            | Minimum distance from ELECTRIC hob | 650 mm    |
| Motor power                                                                        | 275 W                                                                               | Non return valve                   | Yes       |

|         | Extraction rate IEC 61591 [m³/h] | Noise level IEC 60704-2-13 [dBA] |
|---------|----------------------------------|----------------------------------|
| Speed 1 | 334                              | 50                               |
| Speed 2 | 439                              | 57                               |


|                 |     |    |
|-----------------|-----|----|
| Speed 3         | 567 | 63 |
| Intensive speed | 788 | 70 |

## Electrical Connection

|                              |           |                           |          |
|------------------------------|-----------|---------------------------|----------|
| Electrical connection rating | 279 W     | Frequency (Hz)            | 50-60 Hz |
| Voltage                      | 220-240 V | Power supply cable length | 1000 mm  |

## Also available

|                               |       |                   |          |
|-------------------------------|-------|-------------------|----------|
| Alternative colours available | Black | Available colours | KT110BLA |
|-------------------------------|-------|-------------------|----------|



---

## Compatible Accessories

---



### FLT6

Round Charcoal filters (kit 2 pieces)



### KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

---

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



**Switch off automatically:** A special setting, to run after the end of cooking for a pre-set time and then switch off automatically.



**Intensive/turbo setting:** when extra fast extraction is required.